

	58 Zephyros	53 Balios	52 Xanthos	48 Triton	
<b>Overall dimentions</b>					
L.O.A.	17,75	16,35	15,80	14,40	
Beam	4,50	4,40	4,40	4,20	
Height incl. Cradle	5,85	4,40	4,40	4,15	
Weight incl. Std. Engines Tons.	18,50	17,20	17,20	12,0	
CE category	A	A	A	A	
<b>Hull &amp; Superstructure:</b>					
Modified deep V mono hedron hull construction	x	x	x	x	
Lightweight PVC foam girlder stiffening system	x	x	x	x	
PVC foam sandwich construction in hull, superstructure and deck	x	x	x	x	
GRP laminate with advanced multiaxial fibreglass mats.	x	x	x	x	
WINTERC®	x	x	x	x	
Powderbound CSM for protection against osmosis.	x	x	x	x	
<b>Deck Fittings &amp; Equipment:</b>					
All fittings crafted and cast from highest grade stainless steel	x	x	x	x	
Stainless deck cleats	x 10	x 8	x 8	x8	
Fairleads	x 2	x 2	x 2	x2	
High-gloss lacquered rails on forward sundeck	x	o	o	o	
High-gloss lacquered aft side rails	x	o	o	o	
Pulpit and rails in stainless steel	x	x	x	x	
Stainless bow roller and anchor stop	x	x	x	x	
Stainless delta anchor, 25 kg, with 45 metres chain	x	o	o	o	
Galvanised delta anchor, 25 kg, with 45 metres chain		x	x	x	
Stainless Bruce anchor. 15 kg. 45 m. chain	NA	NA	NA	NA	
Reversible anchor winch, operated from deck or helm	2Kw	2Kw	2Kw	2Kw	
Chain lockers - fender stowage	x	x	x	x	
Wash-down outlet for anchor area	x	x	x	o	
Wash-down outlet for cockpit	x	x	x	o	
Starboard fresh water filler (1)	x	x	x	x	
Decksides discharge-point for holding tank	x	x	x	x	
Radar mast and flag holders	x	x	x	x	
Signal horn	x	x	x	x	
Double curved stainless steel framed safety glass windscreen	x	x	x	x	
Ensign staff and socket	x	x	x	x	
Navigation lights	x	x	x	x	
Down lights on aft deck & sidewalks	x	x	x	x	
Low-level lights on aft deck	x	x	x	o	
Hydraulic opening garage for tender (285)		x			
Tender launch system with electric winch		x			
<b>Cockpit Saloon:</b>					
Hard Top in GRP with large electrically operated sunroof	x	x	x	x	
Tinted overhead windows in Hard Top		x	x	x	
Self-draining cockpit	x	x	x	x	
Electrically operated side window, starboard side	x	x	x	x	
Electrically operated side window, port side	x	o	o	o	
Manually operated side window	NA	NA	NA	NA	
Main AC/ DC control panel	x	x	x	x	
Generator control panel	x	x	x	x	
Comfortable seating for 6--7	x	x	x	x	
Storage under seating	x	x	x	x	
Handcrafted cockpit table in finest wood	x	x	x	x	
Full cockpit service area with refrigerator/ coolbox and sink	x	x	x	x	
Hot and cold water	x	x	x	x	
Glass holders	x	x	x	x	

\* with IPS drive system    Windy Boats AS undergoes a continuous process of renewal, development and amendments to standard specifications of its products. Specifications presented in this document may be changed without prior notice .

	58 Zephyros	53 Balios	52 Xanthos	48 Triton	
Electric open grill	x	o	o	o	
Icemaker	x	o	o	o	
Stainless steel and high-gloss wood grab rails around wet bar	x	o	o	o	
Stainless steel grab rails around wet bar		x	x	x	
Halogen overhead lights with dimmer	x	o	o	o	
Halogen overhead lights		x	x	x	
Main switch and circuit breaker panel		x	x	x	
Radio/CD	x	x	x	x	
240V / 12V socket for wet bar	x	x	x	x	
Electrically adjustable Cockpit table.	NA	NA	NA	NA	
<b>Aft Lounge Area:</b>					
Gangway	NA	o	o	o	
Crane and gangway	x	NA	NA	o	
Low-level lights for safe passage at night	x	x	x	o	
Gas struts on engine room hatch	x	x	x	x	
Open aft deck with entrance for engine room	x	NA	x	x	
Stainless steel rail	x	x	x	x	
Aft side rails high-gloss laquered mahogany	x	o	o	o	
<b>Helmsman's Position</b>					
Helm position bridge with individual pilot and co- pilot chairs/bench	1+2	1+1	1+1	1+1	
Non-glare Nextel surface on instrument area	x	x	x	x	
Heavy duty windscreen wipers	3	2	2	2	
Single electronic lever engine controls	x	x	x	x	
Full analogue engine instrumentation	x	x	x	x	
Electrically adjustable platform at helmsman's position	x	x	x	NA	
Adjustable throttle position	x	o	o	NA	
Switch panel for all service functions	x	x	x	x	
Fresh water and fuel gauges	x	x	x	x	
Chart area	x	x	x	x	
Compass	x	x	x	x	
Trim tabs with indicator	x	x	x	o	
Rudder indicator	x	x	x	o	
12 V plug and socket	x	x	x	x	
Hand- held fire extinguishers (2kg)	x	x	x	x	
Glass holders	x	x	x	x	
Demisting system	x	o	o	o	
<b>Electronics see separate information</b>					
<b>Main Saloon</b>					
Interior woodwork in finest wood	x	x	x	x	
Wooden floor	x	x	x	x	
Saloon table base in finest wood hiding 2 pouffes	NA	x	x	x	
Saloon table base in high-gloss wood with shelves	x	NA	NA	NA	
Overhead cupboards	x	x	x	x	
Drink cupboards	x	x	x	x	
Bose sound system with speakers. FM/CD/DVD	x	x	x	o	
LCD flatscreen television	20"	26"	26"	26"	
Opening portholes with mosquito screens	x	x	x	x	
Blinds	x	x	x	o	
Deck hatch with mosquito screen	x	NA	NA	NA	
Overhead halogen lights	x	x	x	x	
Dimmer for halogen lights	x	o	o	o	
Access to forward heads and shower room	x				
Access to midships heads and shower room		x	x	x	

x = standard, o = option

	58 Zephyros	53 Balios	52 Xanthos	48 Triton	
<b>Galley</b>					
Galley top in high-grade composite material	x	x	x	x	
Sink with hot & cold water	x	x	x	x	
4 ring ceramic hob	x	x	x	x	
Combined grill, hot air oven and microwave	x	x	x	x	
3 ring gas cooktop with oven	NA	NA	NA	NA	
Extractor fan over hob	x	x	x	x	
Electric refrigerator (litres)	120	120	120	120	
Dishwasher	x	o	o	o	
Cupboard and drawers for storage	x	x	x	x	
Separate storage compartments underneath galley floor	x	x	x	x	
Rubbish bin	x	x	x	x	
Opening portholes with mosquito screens	x	x	x	x	
Blinds	x	x	x	o	
Double 240V AC socket, 12V DC socket	x	x	x	x	
Overhead halogen lights	x	x	x	x	
Dimmer function	x	o	o	o	
Freezer	x	o	o	o	
<b>Forward Stateroom</b>					
Double berth with high-quality sprung mattress	x	x	x	x	
Skillfully crafted woodwork	x	x	x	x	
Full hanging wardrobe	x	x	x	x	
Overhead lockers	x	x	x	x	
Radio/CD	x	o	o	o	
Radio/CD/DVD with speakers		x	x	o	
Lockers for personal items	x	x	x	x	
Fitted carpet floor	x	x	x	x	
Bedspread	x	x	x	o	
Reading lights (2)	x	x	x	x	
Overhead halogen lights	x	x	x	x	
Dimmer function	x	o	o	o	
Opening portholes with mosquito screens (2)	x	x	x	x	
Blinds	x	x	x	x	
Deck hatch with mosquito screen and night screen	x	x	x	x	
Drawers for storage	x	x	x	x	
240V / 12V socket	x	x	x	x	
Direct access to forward heads and shower room	x	x	x	x	
<b>Forward Stateroom En-Suite Shower &amp; Heads</b>					
Counter top in high-grade composite material	x	x	x	x	
Wash basin with hot and cold water	x	x	x	x	
Electric toilet	x	x	x	x	
Separate shower	x	x	x	x	
Teak grating on shower floor	x	x	x	x	
Glass holder and soap dish	x	x	x	x	
Towel rack	x	x	x	x	
Bathroom furniture in finest wood	x	x	x	x	
Overhead lockers	x		x	x	
Teak flooring	x	o	o	o	
Mirror	x	x	x	x	
Overhead halogen lights	x	x	x	x	
Opening porthole with mosquito screen	x	x	x	x	
Blinds	x	x	x	o	
Extractor fan	x	x	x	x	
AC socket for shaver or dryer (240V)	x	x	x	x	

Windy Boats AS undergoes a continuous process of renewal, development and amendments to standard specifications of its products. Specifications presented in this document may be changed without prior notice.

	58 Zephyros	53 Balios	52 Xanthos	48 Triton	
<b>Master Stateroom (Midships) Windy 58 Zephyros</b>					
Double berth with high-quality sprung mattress	x				
High-gloss interior woodwork	x				
Full hanging wardrobe	x				
Fitted carpet floor	x				
Overhead lockers & shelves for personal items	x				
Drawers for storage	x				
Captain's desk/dressing table with sofa	x				
Bedspread	x				
Reading lights (2)	x				
Halogen down lights with dimmer	x				
2 x opening portholes with mosquito screens	x				
2 x fixed portholes	x				
Blinds	x				
Radio/CD/DVD with speakers	x				
20" LCD flatscreen TV	x				
240V / 12V socket	x				
Direct access to en- suite heads and shower	x				
<b>Starboard Centre Guest Cabin</b>					
Berths with high-quality sprung mattresses		Db	Db	2xS	
Skillfully crafted interior woodwork		x	x	x	
Hanging wardrobe		x	x	x	
Fitted carpet floor		x	x	x	
Bedspread		x	x	o	
Reading lights (2)		x	x	x	
Overhead halogen lights		x	x	x	
Opening porthole with mosquito screen		x	x	x	
Ocean air blinds		x	x	o	
240V / 12V socket		x	x	x	
Access to midships heads & shower room		x	x	NA	
<b>Port Centre Guest Cabin</b>					
Berths with high-quality sprung mattresses		2xS	2xS	Db	
Skillfully crafted interior woodwork		x	x	x	
Hanging wardrobe		x	x	x	
Fitted carpet floor		x	x	x	
Bedspread		x	x	o	
Reading lights (2)		x	x	x	
Overhead halogen lights		x	x	x	
Opening porthole with mosquito screen		x	x	x	
Blinds		x	x	o	
240V / 12Vsocket		x	x	x	
<b>Center Shower &amp; Heads room</b>					
Counter top in high-grade composite material	x	x	x	x	
Wash basin with hot and cold water taps and accessories	x	x	x	x	
Electric heads	x	x	x	x	
Separate shower	x	x	x	x	
Teak grating on shower floor	x	x	x	x	
Glass holder and soap dish	x	x	x	x	
Towel rack	x	x	x	x	
Skillfully crafted interior woodwork	x	x	x	x	
Overhead lockers	x	x	x	x	
Mirrored cupboard		x	x	x	
Teak flooring	x	o	o	o	
Halogen downlights	x	x	x	x	

x = standard, o = option

Specifications

	58 Zephyros	53 Balios	52 Xanthos	48 Triton	
Dimmer function	x	o	o	o	
Opening porthole with mosquito screen	x	x	x	x	
Blinds	x	x	x	o	
Extractor fan	x	x	x	x	
AC socket for shaver or dryer (240V)	x	x	x	x	
<b>Aft Guest/Crew Cabin and storage area Windy 58 Zephyros</b>					
Ladder in stainless steel from cockpit to cabin and storage area	x				
Double berth, high quality	x				
Teak floor	x				
Reading light	x				
Halogen downlights	x				
2 x opening portholes with mosquito screens	x				
Double 240/110V AC socket	x				
Door to shower and heads compartment	x				
Large storage areas	x				
<b>Separate aft heads and shower:</b>					
Wash basin with shower, hot and cold water	x				
Manually operated heads	x				
Mirror	x				
Halogen downlights	x				
Extractor fan	x				
<b>Engine Room - Installations &amp; Tankage</b>					
Engine room access through hatches with gas struts	x	x	x	x	
Twin engines	x	x	x	x	
Stainless steel ladder from cockpit to engine room	x	x	x	x	
Composite sandwich bulkheads with integrally bonded sound barriers	x	x	x	x	
Extra engine room sound proofing	x	x	x	x	
Non-skid aluminium floor	x	x	x	x	
Stainless steel fuel tank	x	x	x	x	
Aluminium fuel tank	NA	NA	NA	NA	
Stainless steel water tank	x	x	x	x	
Aluminium holding tank	x	x	x	o	
Hot water tank (70 litres) heated by engines and 240V immersion heater	x	x	x	x	
Hot water tank (40 litres) heated by engines and 240V immersion heater					
Engines mounted on composite engine beds for optimal sound and vibration absorption	x	x	x	x	
Extractor fans on air intakes	2	2	2	o	
Bilge pumps . Automatic with manual override	2	2	2	1	
Remote controlled fuel tank cut- off	x	x	x	x	
Automatic engines fire shut-off	x	x	x	x	
Fire extinguisher system. Automatic and remote controlled	x	x	x	x	
Battery switch panel	x	x	x	x	
Raw water engine filters (2)	2	2	2	2	
Hydraulic steering system with power assistance	x	x	x	o	
Under water exhaust	x	x	x	x	
Cathodic protection for engines, gear, fuel tanks, filters	x	x	x	x	
Fuel filters	2	2	2	2	
Full engine room work light	2	2	2	1	
Seacocks on all underwater through-hull fittings	x	x	x	x	
<b>Thrusters, Drives &amp; Rudders</b>					
Direct shaft drives through half tunnels	x	x	x	o	
4-blade NIBRAL propellers	x	x	x	o	
Bronze brackets	x	x	x	o	
Stainless steel shafts	x	x	x	o	

	58 Zephyros	53 Balios	52 Xanthos	48 Triton	
High-performance bronze rudders and struts	x	x	x	o	
Cathodic bonding system to anodes	x	x	x	o	
Stainless steel trim tabs	x	x	x	o	
Bow thruster	x	x	x	o	
<b>Electrical System</b>					
Shore/dockside connection for AC	x	x	x	x	
Electrical system 24 volt	x	x	x	x	
Electrical system 12 volt	NA	NA	NA	NA	
Split-charging system	x	x	x	x	
Inverter/Charger 2000/100	x	o	o	o	
Inverter/Charger : 1200/60	NA	x	x	o	
AC sockets throughout the boat	x	x	x	x	
Onan 4 generator (4.0 kW/50Hz)	x	x	x	o	
Onan 7 generator (7.0 kW/50Hz)	x	o	o	o	
Upgraded generator capacities	o	o	o	o	
<b>Batteries</b>					
Engine/domestic batteries 5x115 Amph					
Heavy duty batteries 180 Amph	x	x	x	x	
Heavy duty gel batteries 400 Amph	x	x	x	x	
Additional alternators on engines 2x100 A Amph	x	x	x	NA	
<b>Navigation &amp; Communication</b>					
Chart plotter with GPS	x	x	x	o	
Autopilot with wireless remote control	x	x	x	o	
Log & depth sounder	x	x	x	o	
4 kW radar radome	x	o	o	o	
VHF	x	x	x	o	
<b>Navigation upgrade</b>					
Upgrades on request	o	o	o	o	
<b>Beach &amp; Dinghy Platform</b>					
Bathing ladder	x	x	x	x	
Shower with hot and cold water	x	x	x	x	
Teak on beach and dinghy platform	x	x	x	x	
Teak on steps to beach and dinghy platform	x	x	x	x	
City water, shore connection	x	x	x	o	
220 V shore connection	x	x	x	x	
<b>Factory Options &amp; Upgrades</b>					
See separate Factory Options and Equipment List .	x	x	x	x	
Satellite TV system	o	o	o	o	
TV, shore connection	o	o	o	o	
Telephone, shore connection	o	o	o	o	
Hydraulic platform	NA	NA	o	TBA	
Freezer in aft guest cabin	o	NA	NA	NA	
Freezer under pantry floor	o	o	o	o	
Washer/ Dryer in aft guest cabin	o	o	o	NA	
Retractable wash- down waterhose	o	o	o	o	
Capstan winches	o	o	o	o	
Sun cushion forward sundeck	o	o	o	o	
Boat name in laser-cut hand polished stainless steel	o	o	o	o	

Windy Boats AS undergoes a continuous process of renewal, development and amendments to standard specifications of its products. Specifications presented in this document may be changed without prior notice .

x = standard, o = option

[illegible]

[www.windyboats.com](http://www.windyboats.com)

Windy Boats AS pursues a policy of continuous product innovation and enhancement. Everything presented in this brochure is subject to change without prior notice. This brochure must therefore be taken only as non-binding guidelines from Windy Boats AS ... The images shown in this brochure do not necessarily show standard boats and cannot therefore be used as references for the standard specification for each individual model ... All boats manufactured by Windy Boats AS are approved for specific categories by RINA and are CE-labelled ... Every attempt is made to ensure that all information in this brochure is as accurate as possible, but it is important to note that a boat's performance and test data are given only as guidance. Fouling of the hull and stern gear, for by example marine growth and mud, propeller damage, engine set-up, engine manufacture and type, air and water temperatures, the weight of fuel, water, storage and the number of persons on board may all affect the boats' performance and test data. For these and other reasons, Windy Boats is unable to provide any guarantee of test data and boat performance ... This brochure was produced by Innoventi AS, Arendal, autumn 2007; Graphic designer: Jan Petter Lehne ... Printed by Rohland & more Mediengesellschaft mbH ... Exterior and interior photos: Jan Petter Lehne, Stylist: Sidsel Pettersen, 3D illustrations: [www.wide3d.no](http://www.wide3d.no) ... TwoBiz and Sail Racing provided marine clothing for the photoshoots featured in this brochure, Interior styling products: supplied by Jernia Paulus Møller, Møbel & Lyssgallerier and Le Creuset Scandinavia – we are very grateful for their assistance ... Design Unlimited Ltd. UK, interior design consultants, 58 Zephyros ... Steimler Interior AS, interior design consultants, 44 Chinoock & q8 Triton ... Windy Boats AS reserves all rights in this brochure. Reproduction prohibited without written authorisation by the copyright holder ... Windy Oceanraft, Draco Oceancraft, Draco and WinTec are trademarks of Windy Boats AS.